



4 Justin Court Ste D, Monterey, CA 93940
831.375.MBAS (6227), 831.641.0734 (Fax)

MontereyBayAnalytical@usa.net

<http://www.MBASinc.com>

****Samples with analysis needing to be completed after normal working hours will be charged double****

2010 Fee Schedule (effective January 1, 2010)

Chemistry Panels	Analysis	Fee	Containers
Title 22 Primary & Secondary	<i>Color, odor, turbidity, carbonate, bicarbonate, alkalinity, calcium, chloride, copper, foaming agents, iron, magnesium, manganese, pH, sodium, sulfates, conductivity, TDS, hardness, zinc, corrositivity, silver). Aluminum, arsenic, barium, cadmium, chromium, fluoride, lead, mercury, nitrate, nitrite, selenium, silver, antimony, beryllium, nickel, thallium, cyanide.</i>	289.00	1 500mL glass 1 liter plastic 1 250ml plastic w/ NaOH 2 250ml plastic w/ HNO ₃ (24-hr Hold Time)
Trihalomethanes (EPA 524)	<i>Chloroform, bromodichloromethane, dibromochloromethane, bromoform</i>	95 .00	2 ea. 40 mL VOH s w/Thio
HAA-5**	<i>Haloacetic Acids</i>	170.00	250 ml Amber Glass w/ NH ₄ Cl
CCR Title 22** Synthetic Organic Compounds	<i>Ethylenedibromide & dibromochloropropane (EPA 504.1), Pesticides & PCBs (EPA 505), Herbicides (EPA 515.1, Regulated Organics by GC/MS (EPA 525.2), Carbamates (EPA 531.1), Glyphosate (EPA 547), Endothall (EPA 548.1), Diquat (EPA 549.1), & Diuron (EPA632). Dioxin must be ordered separately if needed.</i>	1270.00	EPA 504 3 x 40 mL VOHs Thio EPA 505 3 x 40 mL VOHs Thio EPA 515 250-ml Glass Thio EPA 525 2 x 1-L Glass NaSO ₃ EPA 531 250-mL Glass Thio+MCAA EPA 547 250-ml Glass Thio EPA 548 1-L Glass Thio EPA 549 1-L Plastic H ₂ SO ₄ +Thio EPA 632 1-L Glass
VOC's	<i>Volatile Organic Compounds; EPA 524, EPA 8260</i>	125.00	3 ea. 40 ml VOHs w/ HCl
SOCs for Monterey County**	<i>Alachlor, Atrazine & Simazine (EPA525), Bentazon & 2,4-D (EPA 515.3), Carbofuran (EPA 531.1), Diquat (EPA 549)</i>	735.00	EPA 525 2 x 1-L Glass Thio EPA 515.3 250-ml Glass EPA 531.1 125-ml Glass MCAA EPA 549 1-L Plastic H ₂ so ₄ + Thio
Title 22 Radiological**	<i>Gross Alpha Gross Beta Radium 226 Radium 228 Uranium by ICPMS Uranium EPA 908.0</i>	70.00 70.00 160.00 265.00 100.00 120.00	1 liter plastic 1 liter plastic 1 liter plastic w/ HNO ₃ 2 x 1 liter plastic w/HNO ₃ 500 ml plastic 1 liter plastic
CRC Title 22** Asbestos		210.00	1 liter plastic (Short Hold Time)
General Water Quality Panel	<i>pH, alkalinity, conductivity, TDS, calcium, magnesium, sodium, potassium, chloride, fluoride, nitrate, sulfate, corrositivity, hardness, iron & manganese</i>	125.00	1 500-ml plastic 1 500-ml plastic w/ HNO ₃
Irrigation Suitability	<i>pH, alkalinity, bicarbonate, carbonate, conductivity, total dissolved solids, calcium, magnesium, sodium, potassium, boron, chloride, sulfate, nitrate, SAR and adjusted SAR.</i>	90.00	1 L plastic
Storm Drain Analysis	<i>Total suspended solids, pH, Oil and Grease, conductivity.</i>	90.00	1 L plastic 1 L glass
Coliforms	Drinking Water ; Total & E. coli; present/absent.	26.00	100 ml sterile
Enterococcus	Enterococcus by Quantitray	30.00	100 ml sterile
Coliforms	Source Water , Total & E. Coli by Quantitray	30.00	100 ml sterile
Coliforms	Waste water and source water ; total ; 15 tube MTF Fecal Coliform added to above analysis	35.00 15.00	100 ml sterile



4 Justin Court Ste D, Monterey, CA 93940
 831.375.MBAS (6227), 831.641.0734 (Fax)

MontereyBayAnalytical@usa.net

<http://www.MBASinc.com>

****Samples with analysis needing to be completed after normal working hours will be charged double****

2010 Fee Schedule for Individual Parameters

<i>Alkalinity</i>	25.00	500 ml plastic
<i>Aluminum</i>	25.00	500 ml plastic
<i>Ammonia</i>	27.00	500 ml plastic
<i>Anions (Chloride, Fluoride, Nitrate, Nitrite, Sulfate, o-Phosphate)</i>	55.00	250 ml plastic
<i>Arsenic</i>	25.00	500 ml plastic
<i>Barium</i>	25.00	500 ml plastic
<i>Biological Oxygen Demand (BOD)</i>	42.00	1 L plastic
<i>Boron</i>	25.00	500 ml plastic
<i>Bromide</i>	25.00	500 ml plastic
<i>Cadmium</i>	25.00	500 ml plastic
<i>Calcium</i>	25.00	500 ml plastic
<i>Carbonaceous Biological Oxygen Demand</i>	44.00	1 L plastic
<i>Corrositivity (Langelier Index)</i>	55.00	1 L plastic
<i>Chemical Oxygen Demand (COD)</i>	35.00	500 ml plastic
<i>Chloride</i>	25.00	500 ml plastic
<i>Chlorine Residual</i>	20.00	500 ml plastic
<i>Chromium (total)</i>	25.00	500 ml plastic
<i>Chromium VI*</i>	85.00	250 ml plastic
<i>Color</i>	15.00	500 ml plastic
<i>Conductivity</i>	20.00	500 ml plastic
<i>Copper</i>	25.00	500 ml plastic
<i>Cyanide</i>	45.00	250 ml plastic w/ NaOH
<i>Fluoride</i>	25.00	500 ml plastic
<i>General Physical (Color, Odor, Turbidity, pH)</i>	40.00	500 ml glass
<i>Hardness</i>	40.00	500 ml plastic
<i>Hydrogen Sulfide</i>	40.00	250 ml plastic w/ preserve.
<i>Iron</i>	25.00	500 ml plastic
<i>Lead</i>	25.00	500 ml plastic
<i>Lead & Copper Rule (Lead, Copper, Turbidity)</i>	40.00	1 L plastic
<i>Manganese</i>	25.00	500 ml plastic
<i>Magnesium</i>	25.00	500 ml plastic
<i>MBAS (Detergents)</i>	45.00	500 ml plastic
<i>Mercury</i>	35.00	500 ml plastic
<i>Nickel</i>	25.00	500 ml plastic
<i>Nitrate</i>	25.00	250 ml plastic
<i>Nitrite</i>	25.00	250 ml plastic
<i>Odor</i>	18.00	500 ml plastic
<i>Oil & Grease</i>	50.00	1 L glass
<i>Oxygen, Dissolved</i>	15.00	500 ml plastic
<i>Perchlorate**</i>	85.00	250 ml plastic
<i>PH</i>	15.00	500 ml plastic
<i>Phosphate (ortho)</i>	25.00	500 ml plastic
<i>Phosphorus, Total</i>	35.00	500 ml plastic
<i>Potassium</i>	25.00	500 ml plastic
<i>Selenium</i>	25.00	500 ml plastic
<i>Silica</i>	25.00	250 ml plastic
<i>Silver</i>	25.00	500 ml plastic
<i>Sodium</i>	25.00	500 ml plastic
<i>Sodium Absorption Ratio (SAR & adj SAR)</i>	60.00	500 ml plastic
<i>Sulfate</i>	25.00	500 ml plastic



4 Justin Court Ste D, Monterey, CA 93940
 831.375.MBAS (6227), 831.641.0734 (Fax)

MontereyBayAnalytical@usa.net

<http://www.MBASinc.com>

****Samples with analysis needing to be completed after normal working hours will be charged double****

Settleable Solids	17.00	1 L plastic
Suspended Solids	22.00	1 L plastic
Total Dissolved Solids	22.00	500 ml plastic
Total Kjeldahl Nitrogen	36.00	500 ml plastic
Total Nitrogen	70.00	500 ml plastic
Total Organic Carbon**	65.00	250 ml amber glass
Total Plate Count	32.00	100 ml sterile
Turbidity	20.00	500 ml plastic
Urea	35.00	100 ml plastic (freeze)
Volatile Solids	32.00	500 ml plastic
Zinc	25.00	500 ml plastic

** Samples are subcontracted to another certified laboratory for analysis.

Volume Discounts and Pricing - *Discounts are available based on a specific project or total volume over time.*

Sample Pickup - *Courier Service may be available– call for quotation*

Archived Report - *A \$25 fee will be charged for retrieval of archived reports*

QA data package – *Call for quotation*

Sample Containers - *Sample containers are available at no charge*

Payment Terms

Our standard credit terms are Net 30 Days, and are independent of when clients are reimbursed. Monterey Bay Analytical reserves the right to require payment in advance until a credit application has been approved. A client's initial credit limit may later be increased or decreased, based upon payment history. Accounts over 30 days are subject to 1.5% per month interest. Delinquent accounts are liable for legal costs and collection agency fees incurred by Monterey Bay Analytical Services in its efforts to eliminate the overdue balance. Prices are subject to change without notice.

Limits of Liability

Monterey Bay Analytical Services performs all of its services in a professional manner using generally accepted analytical methods. These methods are published by recognized sources such as the U.S. Environmental Protection Agency, the American Water Works Association, and the Water Environment Federation. In selecting Monterey Bay Analytical Services to perform analysis, our clients recognize that all samples and sampling events are unique, and that not all samples can be successfully analyzed by generally accepted methods. If analysis proves unsuccessful, the total liability of Monterey Bay Analytical Services shall not exceed the invoiced amount for the services provided. This Limit of Liability shall supersede all clauses to the contrary, implied or otherwise, in any client purchase order or contract, unless different terms are authorized in advance in writing by the director of the Laboratory.