MBAS Order ID: _____

Chain of Custody / Analysis Request

MONTEREY BAY ANALYTICAL SERVICES
PRECISION ● ACCURACY ● DEPENDABILITY

4 Justin Ct, Suite D (831)-375-MBAS
Monterey, CA 93940 (6227)
info@mbasinc.com
www.MBASinc.com

***Required Fields**

*Emergency Contact for Coliform/ MCL Exceedance Notification**
Name: *Phone Number:*

LAB USE ONLY

DW WW Solid Sludge Other:_____

1.Received same day of collection + evidence of chilling? Y / N
*NO to above, is the temp. within required range? Y / N
2. Adequate sample volume + intact ? Y / N
3. Do bottles agree with the COC? Y / N
4. Were samples filtered? Y / N

Client/ Company Name*: **Attention*:**

Email Address*: **Phone Number*:**

Address*: **City, State & Zip Code*:**

Billing Address (If different from left): **Contract/ PO #:**

Project Name/ System Info: **System ID/ GeoTracker ID****

*****REQUIRED for Regulatory***

Regulatory Reporting: ☐ Yes ☐ No

Additional Reporting Options (System ID/Codes REQUIRED*)
☐ GeoTracker/CEDEN** ☐ Excel
**Additional Fees Applicable

MBAS Lab #	Client ID or Source Code (_###_###)	Sample Description*	Sample Collection* Date	Time	Chlorine Residual (mg/L)	Coliform Designation Routine	Other	Repeat	Special	Container* # Cont.	Type**	Size	Requested Analysis*							*Lab Only* Preservative ☐ PO ☐ PP Initials:	Observed Receiving Temp(°C)	Corrected Temp (°C) (IR: CF:)

	Printed Name	Signature	Date	Time	Comments:
Sampled and Relinquished by:					
Received/ Reliquished by:					
Received/ Reliquished by:					
Received by:					

Payment Received Date: Cash Zelle Credit Card Check # Amount: $

**Container Type: P= Plastic, G= Glass, V= Various

By signing above, you acknowledge that all information provided on this chain of custody is accurate.

Priority and Rush requests may incur extra charges and are accepted at MBAS's discretion.

Preservative: 1. HNO3 pH<2, 2. H2SO4 pH<2, 3. HCl pH<2, 4. NaOH pH ≥12, 5. 10≤15 Drops Zn(CH2COO)2+NaOH
PO = Poured Off From Unpreserved Sample PP = Pre-Preserved